	Application No.	Applicant(s)
	10/699,539	MAEDA, TSUYOSHI
Notice of Allowability	Examiner	Art Unit
	James A. Dudek	2871
The MAILING DATE of this communication apperature All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIOF of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in or other appropriate commits in the commits of the commits	n this application. If not included unication will be mailed in due course. THIS
1. This communication is responsive to <i>the RCE filed 5/20/05</i> .		
2. The allowed claim(s) is/are <u>1-27</u> .		
3.  The drawings filed on <u>03 November 2003</u> are accepted by the Examiner.		
<ul> <li>4.  Acknowledgment is made of a claim for foreign priority ur</li> <li>a)  All b)  Some* c)  None of the:</li> <li>1.  Certified copies of the priority documents have</li> <li>2.  Certified copies of the priority documents have</li> <li>3.  Copies of the certified copies of the priority do International Bureau (PCT Rule 17.2(a)).</li> <li>* Certified copies not received:</li> </ul> Applicant has THREE MONTHS FROM THE "MAILING DATE"	e been received. e been received in Applicati cuments have been receive of this communication to fil	on No ed in this national stage application from the
noted below. Failure to timely comply will result in ABANDONN THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.  5.  A SUBSTITUTE OATH OR DECLARATION must be subm	nitted. Note the attached EX	AMINER'S AMENDMENT or NOTICE OF
INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.  6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached		
1) 🔲 hereto or 2) 🔲 to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in the same of	l.84(c)) should be written on the header according to 37 C	the drawings in the front (not the back) of FR 1.121(d).
7. DEPOSIT OF and/or INFORMATION about the deposit attached Examiner's comment regarding REQUIREMENT	osit of BIOLOGICAL MAT FOR THE DEPOSIT OF B	ERIAL must be submitted. Note the OLOGICAL MATERIAL.
Attachment(s)  1. Notice of References Cited (PTO-892)  2. Notice of Draftperson's Patent Drawing Review (PTO-948)  3. Information Disclosure Statements (PTO-1449 or PTO/SB/6)	6. ☐ Interview S Paper No	nformal Patent Application (PTO-152) Summary (PTO-413), ./Mail Date s Amendment/Comment
Paper No./Mail Date	,, <u> </u>	
4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. ⊠ Examiner' 9. ☐ Other	s Statement of Reasons for Allowance 

Art Unit: 2871

## **REASONS FOR ALLOWANCE**

The following is an examiner's statement of reasons for allowance: the prior art of record teaches a liquid crystal display device, comprising: a liquid crystal layer that is held between a first substrate and a second substrate, in which each of dots contains a reflective display region for reflective display and a transmissive display region for transmissive display, the liquid crystal layer being composed of a nematic liquid crystal aligned substantially perpendicularly to the substrates and having a negative dielectric anisotropy; a first retardation film having an optically, a second retardation film having an optically, and a first polarizer that are arranged in that order outside the first substrate; and a fourth retardation film having an optically, a second polarizer, and an illumination device-that are arranged in that order outside the second substrate.

The prior art of record does not teach in combination with the limitations supra a first retardation film having an optically negative uniaxiality, a second retardation film having an optically positive uniaxiality, and a first polarizer that are arranged in that order outside the first substrate; and a fourth retardation film having an optically positive uniaxiality, a second polarizer, and an illumination device-that are arranged in that order outside the second substrate.

The prior art of record does not teach in combination with the limitations supra a second retardation film having an optically positive uniaxiality, and a first polarizer that are arranged in that order outside the first substrate; and a third retardation film having an optically negative uniaxiality, a fourth retardation film having an optically positive uniaxiality, a second polarizer, and an illumination device that are arranged in that order outside the second substrate.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to James A. Dudek whose telephone number is 571-272-2290. The examiner can normally be reached on 9:00-5:30.

Application/Control Number: 10/699,539

Art Unit: 2871

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Robert H. Kim can be reached on 571-272-2293. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Jámes A. Dudek Primary Examiner Art Unit 2871